

UNOLS Fleet Improvement Committee Minutes of Meeting 9-10 November 1987 La Jolla, California

The UNOLS Fleet Improvement Committee (FIC) met on 9 and 10 November 1987 at the Scripps Institution of Oceanography in La Jolla, CA. Present were the FIC members R. Barber, R. Dinsmore, D. Gorsline, J. Murray, W. Nowlin, B. Robison and F. Spiess, and observers W. Barbee, T. Johnson, R. Knox, E. Mortimer, E. Nelson, M. Prince, R. West, and P. Wiebe.

The agenda for the meeting, presented as Appendix 1, was discussed and approved, as were the minutes of the 13-14 August 1987 meeting.

Preliminary design of large, medium-endurance monohull. The proposal submitted by the Scripps Institution of Oceanography to NSF for a preliminary design study based on the concept design study by Glosten Associates for the UNOLS Fleet Replacement Committee was reviewed. The FIC endorsed this proposal for a follow-up study by Glosten Associates, with Fred Spiess as principal investigator. A letter of endorsement will be forwarded to the NSF. The Committee agreed that guidance for the design study should be provided by a three person subcommittee, consisting of Marcus Langseth, James Murray, and Fred Spiess (chairman).

<u>Subcommittee for consideration of stable, deep-ocean platforms</u>. A report on subcommittee action was presented by Fred Spiess, chairman. The report of the June 1987 subcommittee meeting is being written by Charles Bishop. Two aims of deep-ocean, stable platforms were considered:

•For multidisciplinary, long time series of observations, and

For small-scale process-oriented measurements.

Peter Wiebe discussed potential science initiatives requiring the former capability. He noted that a November issue of <u>Eos</u> should contain the report of a meeting held to discuss such science initiatives.

Spiess will soon distribute a draft meeting report and plans for further studies by this subcommittee.

Status of AGOR-23. R. Dinsmore presented a written report on the status of AGOR-23 procurement (Appendix 2). The deadline for proposals from potential builders in response to the Navy RFP has been extended until January 1988. It is understood that few builder/designer groups will bid on the AGOR-23 because the process requires preparation by the bidder of a construction design, which is very costly to the bidder.

FIC operating budget. The proposal to NSF for funds to support operations of the FIC for the next 18 months was distributed to the committee. A budget summary is given as Appendix 3. It is expected that NSF soon will fund the proposal at the indicated, revised

budget level. Concern was expressed that the funding levels for new concept designs had been reduced or deferred and that the funds for subcommittee meetings, workshops, and consulting services had been severely reduced from requested levels. Nowlin indicated that he believed the budget would be adequate for ongoing FIC activities, provided that supplemental proposals for special studies/needs could be submitted with reasonable likelihood of support.

Intermediate-size SWATH research vessel. On behalf of the FIC, R. Dinsmore had solicited proposals for a concept design of an intermediate-size SWATH research ship based on science mission requirements approved at the August 1987 meeting of the FIC. Eleven proposals were received and mailed to FIC members prior to the meeting. Evaluation criteria were discussed and approved. Using those criteria the proposals were evaluated. On the first day of the meeting the top 4 were selected; these were re-evaluated and ranked on day two. Negotiations with the first ranked proposer will begin as soon as NSF funds for FIC operation as are received. Dinsmore will have program oversight for this study. Richard Barber and Charles Miller were selected as members of a subcommittee, chaired by Dinsmore, to provide scientific guidance for the design study.

Based on discussion of these proposals, it was decided that the science mission requirements for the intermediate, general purpose SWATH research vessel could be improved. Dinsmore agreed to make revisions based on FIC input and to transmit to Nowlin for distribution to the community for comment.

The U.S. Coast Guard has completed preliminary design of a 135-ft. SWATH vessel. They have offered FIC and the UNOLS community access to this design. Dinsmore provided a short handout with general characteristics, dimensions, and sketches (Appendix 4).

Status of KNORR/MELVILLE refits. Dinsmore provided a handout (Appendix 5) summarizing the status of the design study for the KNORR/MELVILLE refits. Comments from the FIC were solicited; the preliminary design phase is almost complete, so any suggested changes must be made soon. The Navy budget item containing funds to begin KNORR refit has not been approved yet. Thus, we are facing a possible deferral of this refit.

Navy AGOR (SWATH) design. The FIC and its predecessor, the Fleet Replacement Committee, have maintained a liaison with ONR during the concept and preliminary design phases for an AGOR (SWATH). Planned as a possible AGOR-24, this vessel is being designed by NavSea as part of a common hulls study aimed at designing this AGOR for academic use and an AGS for the Naval Oceanographic Office.

This design process has produced a vessel which would be unacceptable for operation as a UNOLS vessel in the view of the Fleet Improvement Committee. A memorandum to George Keller, UNOLS chairman, stating this position and documenting the reasons was approved.

Subcommittee on Scientific Requirements for UNOLS Fleet. J. Murray presented a third draft of the report from this subcommittee [Appendix 6]. Final FIC comments were solicited before December 1. It is planned to print and distribute this report as a white paper from the FIC.

<u>USS Database</u>. M. Langseth has prepared a paper describing the possible benefits to ship users, ship schedulers, and agency representatives of a computer based, network accessible database of information relating to research vessels and their schedules. A possible model

for this system called the UNOLS Ship Schedule Database (USS Database) is presented. It was suggested that this manuscript be submitted to the UNOLS Newsletter and/or to Eos. This is timely because the UNOLS has been charged with implementing a computer based suite of ship schedule information, and because James Crease at University of Delaware has already found a searchable database containing UNOLS and some non-U.S. ship schedules. It is accessible via a number of widely used computer networks.

Costs and benefits of various modes of R/V acquisition. D. Gorsline presented a partial draft of a new white paper dealing with this issue. It was discussed, and Gorsline was encouraged to continue with this project. FIC comments on the draft were solicited.

Gorsline and Treadwell were encouraged to complete their manuscript on the history of the research vessel fleet. It should make an interesting FIC white paper.

Reserve Fleet vessels available for conversion. Nowlin presented a report [Appendix 7] from T.K. Treadwell, Dean Letzring, and Nowlin on vessels inspected on 16 September 1987 at the Maritime Administration Reserve Fleet in Beaumont, Texas. Several of these vessels were judged to be good candidates for conversion to intermediate-size (180'x40') general purpose research vessels for the UNOLS fleet. Basic conversion costs were estimated at between \$2 and 3M. Monitoring of potential research vessels in the research fleet will continue. Even though no intermediate vessels are now needed by UNOLS, the possibility exists that vessels appear which would be potential conversions to other classes of UNOLS requirements.

Science mission requirements for small, general purpose research vessels. It was reported that the draft science mission requirements for small, general purpose research vessels had been distributed to the community for comment. A response date of 1 January 1988 was set. The distribution list will be sent to FIC members for possible additions.

Workshop on improvements to intermediate R/Vs. Plans were made for a workshop on mid-life refits and improvements to existing intermediate size, general purpose research vessels. R. Barber will convene the workshop in July 1988 as an adjunct to the UNOLS ship scheduling meeting in Washington, D.C. Participants will include operator representatives for the six vessels (ENDEAVOR, GYRE, ISELIN, NEW HORIZON, OCEANUS, and WECOMA), representatives of scientific advisory groups at ship operating institutions, selected users from other institutions, and the marine architects John Gilbert and Rodney Lay. Thus, there will be about 20 participants plus FIC members and observers. Scientific advisory groups from each ship operating institution will be invited to prepare a position paper in advance of the meeting. Barber will provide a draft agenda and invitation list to the FIC soon. W. Barbee will set the schedule for the July ship scheduling meeting and inform FIC soon.

Possible improvements to CAPE-class vessels. Present to discuss this item were Tom Johnson and Eric Nelson from Duke, and Mike Prince from Moss Landing. Johnson presented the potential advantages in performing a stretch on a CAPE class vessel. Some sketched are given in Appendix 8. A lengthy discussion ensued of various improvements, the pros and cons of stretching these vessels, and the distinctions between small and intermediate, general purpose vessels. Finally it was agreed that Nowlin would attempt to summarize the discussion in the form of a charge to a subcommittee, chaired by Johnson and with representatives of Moss Landing and user community, to further consider potential improvements to CAPE-class vessels, to assign priorities, and to assess associated capital and operating costs. For future construction, are the science mission requirements now under development adequate? What special science needs distinguish small, general purpose vessels?

Arctic research vessel requirements. R. Corell has requested that UNOLS consider Arctic science requirements for research vessels (see his letter to G. Keller as Appendix 9). In response the FIC has been asked to initiate such a study to be completed by 1 January 1988. Vera Alexander will chair the study group; Jerry Brown of NSF will serve as the point of contact for NSF and ONR.

Optional modes for NSF ship acquisitions. Barber presented a draft letter to Don Heinrichs from FIC stating relative merits of different ship acquisition and operation procedures. During discussion modifications were suggested. Barber will circulate a new draft to FIC at his early convenience.

<u>Future FIC meetings</u>. The next FIC meeting was scheduled for 28-29 March 1988 in Washington, D.C. Nowlin to arrange venue.

The following meeting will be in Seattle during the week of 11-15 or that of 18-22 July 1988. Final decision will depend on the time of UNOLS ship scheduling meeting.

UNOLS FLEET IMPROVEMENT COMMITTEE Meeting 9-10 November 1987 Agenda

- · Consideration and adoption of agenda
- Consideration and adoption of minutes of 13-14 August meeting
- · Report on proposal for large monohull preliminary design study Spiess
- Report on Science Mission Requirements for Stable, Deep-Ocean Platforms Spiess
- Status of AGOR-23
- · Status of proposal for NSF support of FIC Nowlin
- · Review of proposals for intermediate SWATH concept design study Dinsmore
- . Status of KNORR/MELVILLE refits
- · Review of Navy AGOR (SWATH) design
- Report on impact of new initiatives and projected funding increases on ship demands in the UNOLS fleet - White paper by Murray
- · Report on presentation to UNOLS Annual Meeting about FIC activities Nowlin
- Report on computer assistance to scheduling UNOLS vessels (Note input from Jim Crease, Delaware on this subject.) - Nowlin
- White paper on relative costs and benefits of various modes for R/V acquisition Gorsline
- Report on inspection of Marad Reserve Fleet tug/supply hulls located at Beaumont, Texas
 Nowlin and Treadwell
- Report on Science Mission Requirements for small, general-purpose R/V Robison
- · Progress toward workshop on improvements to intermediate-class R/Vs Barber
- Discussion of approach to considering possible improvements to CAPE HATTERAS class R/Vs - T. Johnson
- Possible FIC study for NSF/ONR on high-latitude Arctic research ship and report on progress toward Science Mission Requirements for small, ice-capable R/V -Nowlin
- · Report letter to NSF regarding options for research ship acquisition Barber
- Schedule future meetings

UNIVERSITY-NATIONAL OCEANOGRAPHIC LABORATORY SYSTEM





To:

Distribution

1 August 1987

From:

R. P. Dinsmore

SUBJECT:

NEW NAVY SHIP CONSTRUCTION - AGOR 23, STATUS OF

CONSTRUCTION

The RFP for the construction of the new ONR research ship AGCR-23 has been issued. It is a "design & build" type RFP. This means that the bidder must submit a complete contract design package which conforms to the general requirements set by the Navy. In other words, the bidder actually designs the ship and submits the design, along with bid price for construction and outfitting. The cost for preparing a bid of this sort is about \$750,000.

A summary copy of the requirements is appended (Appendix A). Previous "designs" of the AGOR-23 are in-house examples and do not necessarily resemble the final design. SWATH ships and conversions are permitted to enter but the program is aimed chiefly at a monohull type ship of about 250 feet in length.

The bid selection process is novel. Starting with a bid price having a \$27.7M cap, there will be "deductions" from the actual bid price for meeting certain enhanced operating criteria. For example, the minimum acceptable cruising speed is 12 knots; but if the design makes 15 knots the bidder gets an \$8.9M "credit", and so on. The lowest final adjusted price wins.

Deadline for proposal submission is 20 November 1987. Estimated delivery of the new ship is 1990. The acquisition schedule is attached as Appendix B.

OPERATION

ONR has issued the RFP for the operator of the new ship. It is intended that the operator be a UNOLS lab but a crucial issue is that a proposer must be in a position to trade in an AGOR-3 Class ship for layup. The present AGOR-3s in UNOLS are the T. WASHINGTON (Scripps), T. THOMPSON (University of Washington), and the CONRAD (Lamont). Thus, it would appear that only those labs are in a reasonable position to propose.

Deadline for the proposal is 31 August 1987 and selection will be about 30 October. It is anticipated that the operator selected may have some role in the selection of the construction design and may be able to effect some design changes (probably minor). Extract of the operations RFP is attached as Appendix C.

APPENDIX A

. SUMMARY OF SPECIFICATIONS

Maximum length and draft are 275 and 17 feet, respectively. The ship may be a new construction monohull or small waterplane area twin hull (SWATH), or conversion of a newly constructed existing hull.

The following specifications are those stated in the NAVSEA Request for Proposals:

	2.400,000,000			
		Minimum Requirement		Enhanced Requirement
1.	Sea Keeping (on Station)	o 0 kts/SWH 12'/B.H.	0	0 kts/SWH 20'/B.H.
2.	Sea Keeping (Slow Speed)	o 6 kts/SWH 12'/B.H.	0	6-10 kts/SS6(SWH 20')/B.H
3.	Acoustic Characteristics and Systems	o No interference with operation of hull mounted systems at 3.5, 12 and 36, and 50-300 KHz up to 12 kts at SS4(SWH 8').	0	Same
4.	Station Keeping	o 300 ft Radius/B.H./wind 27 kts/current 2 kts/SS5(SWH 12'	').	Same
		o No trackline capability.	0	Trackline within 300' at 2 kts/A.H./wind 27 kts/curre 2 kts/SS5(SWH 12')/heading within 45°.
5.	Sea Keeping (Transit)	o 12 kts SWH/8'/A.H.	0	15 kts/SS4(SWH 8')/A.H.
6.	Sustained Speed (Calm Water)	o 12 kts	0	15 kts
7.	Laboratory Area	o 3,200 FT ² total. o 2,000 FT ² (3 labs) contiguous to work deck.	0	4,000 FT ² total. 3 Lab areas (2700 FT ² tota contiguous to working deck
8.	Accommodations	o 30 scientific o 20 crew (min) o 10 single and remainder o double staterooms o 10 additional in 2 deck vans	0	Same

o Library/Conference Room

o Science Office o Mess/Lounge Area

2 800	Minimum Requirement	Enhanced Requirement
9. Ship Control	 Good visibility of working deck areas from bridge control station. 	o Same
	O Continuously variable 0-6 knots (electric) 5-12 knots (diesel)	o Continuously variable spee 0-15 knots. (No system sw
 Integrated Electric Drive 	o Permitted	o Required
11. Scientific Storage	o 13,000 FT ³ total in 3 locations. 35 tons total.	o 15,000 FT ³ total in 2-4 locations. 135 tons total.
12. Endurance	o 8,000 nm at 12 kts plus 29 days at 3 kts on station with 10% Reserve.	o 12,000 nm at at cruise spee plus 29 days at 3 kts with 10% reserve.
13. Working Area Deck	o Total fantail working of area of 3400 ft including a minimum 12' x 100' contiguous area on one side.	3500 FT ² total fantail works deck area including a minimulz' x 100' contiguous area cone side.
•	o 2 vans (see item 8 o above)	Deck area for 4 vans (8' x 2 on main upper deck with dire access to ship interior.
	o 100 tons disposable o load.	100 tons disposable load.
	o No centerwell (SWATH) o	Centerwell 15' x 30' (SWATH only).
	o 10,000 lbs at 5 kts o 20,000 lbs at 2.5 kts	Same
 Marine Geology & Geophysical Mission 	O None	Electric power for 600 HP
16. Electronic I.C. System	o None o	of compressors. Serving all operating spaces labs, public spaces, working deck stations and van station.
**		and van station

APPENDIX B

ACQUISITION SCHEDULE

ACCOUNTION SCHE	DULE
Program Brifing to Industry NAVSEA Feasibility Designs Completed NAVSEA Acquisition Plan (AP) Approved Assistant Secretary for Shipbuilding & Logistics Endorsed AP Chief of Naval Operations Top Level Requirements (TLR) Signed and Forwarded to NAVSEA NAVSEA Circular of Requirements (COR) Approved Solicitation for AGOR 23 Released to Industry Solicitation for Operation of AGOR 23 Released to Academic Institutions by the Chief of Naval Research (OCNR) Institution Proposals Due to OCNR Industry Proposals Due to NAVSEA Operating Institution Selection Award for Ship Construction Start Construction or Conversion	29 May 1986 30 May 1986 30 July 1986 27 August 1986 29 September 1986 24 October 1986 27 May 1987 1 June 1987 31 August 1987 20 November 1987 30 October 1987 (est) 15 April 1988 (est)
Delivery	October 1988 (est) 30 September 1990 (est)



DEPARTMENT OF THE NAVY OFFICE OF THE CHIEF OF NAVAL RESEARCH ARLINGTON, VIRGINIA 22217-5000

IN REPLY REFER TO

5000 Ser 1121SP/34 5 June 1987

From: Environmental Sciences Directorate

To: Distribution

Subj: AGOR-23 PROGRAM - SOLICITATION OF PROPOSALS FOR CHARTER OPERATION OF

A DEEP OCEAN RESEARCH SHIP

1. Enclosed is a copy of the subject solicitation for charter operation of the AGOR-23. Your institution is invited to submit a proposal. The Office of Naval Research will negotiate a Charter Party Agreement with the selected institution for operation of the ship within the U.S. academic research ship fleet. The AGOR-23 is being procured for ONR by the Naval Sea Systems Command to replace an existing AGOR-3 class ship and is expected to be delivered by September 1990.

2. Please observe all of the conditions indicated by the solicitation. Ifquestions arise, the ONR point of contact is Mr. Keith Kaulum, Code 1121SP. The closing date for this solicitation is 31 August 1987.

ERIC O. HARTWIG

Director

Environmental Sciences

Distribution: University of Alaska University of Washington Oregon State University Moss Landing Marine Laboratories University of Southern California University of California, San Diego University of Michigan Texas Adm University The University of Texas University of Miami, RSMAS Skidaway Institute of Oceanography Duke/UNC Oceanographic Consortium The Johns Hopkins University University of Delaware Lamont-Doherty Geological Observatory University of Rhode Island Woods Hole Oceanographic Institution University of Hawaii, Institute of Geophysics

APPENDIX C

INTRODUCTION

The Office of the Chief of Naval Research invites proposals for the operation of one deep-ocean research ship, AGOR 23. The ship will be constructed or converted as a general purpose oceanographic research ship. AGOR 23 will meet the specifications cited in Appendix A. The maximum length overall and draft are 275 and 17 feet, respectively. The ship acquisition will follow the schedule contained in Appendix B.

Title to the ship will be retained by the United States Navy. The ship will be assigned to an operator institution(s) under a renewable five (5) year charter party agreement with the Navy. This solicitation covers only the selection of the operating institution(s) for AGOR 23. It does not include consideration for funding of operations, equipment, or scientific project support.

Proposals will be evaluated by the Office of the Chief of Naval Research (OCNR) with the assistance of the National Science Foundation (NSF), the Office of the Oceanographer of the Navy (OON) and representatives from the University National Oceanographic Laboratory System (UNOLS). Major considerations for selection of the operating institution(s) will include excellence in the performance of Navy oriented oceanographic research; ability to complete final fitting out of the vessel; ability to maintain and operate such ships under sound maritime practices; and willingness to undertake a cooperative role in scheduling and operating the ship in support of the Navy research programs and the larger U. S. oceanographic research community.

Proposals must be received by 5 P.M. EST, 31 August 1987 to be considered under this solicitation.

BACKGROUND

Approximately 25 ships operated by some 17 U. S. academic research institutions constitute the UNOLS "academic research fleet". These ships are used primarily by scientists at these and other academic institutions to carry out research projects funded by the Navy, NSF and other federal, state and local agencies. Navy has currently provides six of the seven largest research ships in the academic research fleet. The continuing need for large, multiple discipline research ships stems from Navy's need to conduct research on an all-season, worldwide basis.

Access to the academic fleet is facilitated through UNOLS, which is an independent organization of ship operating research institutions. Under UNOLS guidelines qualified, funded scientists from all U.S. institutions are assured access to shiptime on UNOLS vessels which are appropriate to their research needs.

In July 1984, the Secretary of the Navy announced fifteen initiatives to meet Navy and national requirements in Oceanography. Two initiatives specifically address the need to replace existing Navy vessels in the UNOLS fleet. The first of these initiatives is met by the AGOR 23 program which

will deliver a UNOLS Class II deep ocean research ship by 1991. The ship is being procured by the Naval Sea Systems Command (PMS-383) under a fixed-price design and construction solicitation. The Circular of Requirements and Request for Proposal for the ship will be available to respondents to this RFP.

PROGRAM GOALS

The primary goal of the AGOR 23 program is to acquire a deep ocean, multiple discipline oceanographic research ship for use by U.S. academic institutions to meet Navy and national worldwide research and data collection requirements. This ship will replace at least one existing AGOR 3 class ship in the Navy portion of the UNOLS academic fleet.

This ship will have improved sea keeping and sea kindliness, greater endurance and larger science facilities with more accommodations than the AGOR 3 class it is replacing. It will also be ice strengthened (Class C) to help support research in high latitudes.

SCOPE OF PROPOSALS

The objective of this competitive award is to select the most appropriate institution(s) to operate AGOR 23 on behalf of the U. S. oceanographic community. Since AGOR 23 will replace at least one existing AGOR 3 Class ship in the academic fleet, a practical plan for return to the Navy of at least one AGOR 3 Class ship now chartered from ONR must be included in the proposal. ONR plans call for one ship to go out of service during FY 1988 or at a date to be negotiated between ONR and the operator.

Ships are a costly component of oceanographic research, therefore, considerations of efficiency and economy; as well as being fully utilized, and properly maintained and operated will be very important considerations. Selection of the institution(s) to operate this ship will not imply that its staff has the exclusive or biased access to its use. The selection process for the operator will result in the award of an initial 5-year charter agreement with provisions for renewal.

The operating institution will also be invited to provide technical assistance during NAVSEA builder selection, participate in oversight during design, construction, trials and outfitting of the ship. In addition, after delivery of the ship by the builder, the operating institution will have management responsibility for conduct of the post-delivery activities as detailed in Appendix B-2. ONR and/or NAVSEA will provide required funding for these specific activities. Funding for periods of restricted operations during this period would normally be the responsibility of the operator via user charges.

A Navy's decision to assign operating responsibility for the ship does not carry with it an assurance of financial support, except as discussed above. Ship operating support is provided competitively through the normal science proposal and review process within Navy and the NSF, and through contracts,

grants and other arrangements between the operating institutions and other federal, state and private entities. Navy support is closely tied to the shiptime requirements of Navy-supported research programs. Accordingly, neither operational funds nor scientific research project funds are provided under this solicitation. Offerors must demonstrate the existence of, or potential for a strong scientific research program which supports the AGOR 23 program goals, fully utilizes the ship and sustains its operating costs.

The operation and maintenance of U. S. Navy-owned ships is carried out under a standardized charter party agreements which specify the terms of operations and use. (A copy of OCNR's standard charter party agreement will be provided on request.) Listed below are a few of the major conditions included in such agreements

- Title to the ship and equipment purchased by Navy will be retained by the government.
- The Charterer must maintain the ship in a good state of repair, readiness, efficient operating conditions, conform to all applicable regulatory requirements (including USCG and ABS certification, and Navy INSURV inspections); and assume full responsibility for the safety of the ship, its crew and scientific party personnel.
- The initial agreement will be for five (5) years and can be extended beyond this period by the mutual consent of the institution(s) and the Navy.
- Use of the ship is restricted to federally supported research programs, and non-federal programs of interest to the Navy under specific conditions with approval by ONR.

Offerors must be willing and able to enter into a contractual agreement of this type with the Navy, and to discharge the responsibilities and commitments prescribed.

Equipment which becomes integral to the structure or machinery of the ship, regardless of the source of funds for acquisition and installation, is considered to be part of the ship and therefore is government property. Title to privately-owned or financed portable or modular equipment or gear can be retained by the operating institution(s).


ELIGIBLE OFFERORS


Proposals will be accepted from any U. S. academic institution or consortium of U. S. institutions currently conducting graduate level research programs in oceanography and related marine geophysical sciences. Offerors must have experience in operating large world-ranging oceanographic research ships. The Institutions(s) must either be a member of UNOLS or meet the requirements for, and apply for full membership. Such offerors must be able to provide suitable docking, staging and storage facilities in addition to demonstrating their ability schedule and operate this ship.

BUDGET SUMMARY

RF-88-38

ONGOING ACTIVITIES	YEAR 1	YEAR 2
Committee Meetings	\$24,900	\$24,900
Subcommittee Meetings	11,200	11,200
Workshop Meetings	15,000	-0-
Consultant Fees	13,200	6,600
Support Personnel	11,357	5,937
Support Supplies	5,400	3,200
Total	81,057	51.837
Indirect Costs	31,207	19,957
Tota1	T12,264	71,794
PROJECT ACTIVITIES		
Concept Design Studies of Small, General Purpose R/V	-0-	50,000
Studies of Mid-life Refits for Existing Intermediate Monohulls	-0-	20,000
Concept Design Study for Intermediate Size SWATH	50,000	-0-
Concept Design Study for Innovative (Stable, Deep-Ocean) Platform	-0-	-0-
Concept Design Study for Small, Ice-Capable R/V	-0-	50,000
Studies of Improvements to CAPE-class Vessels	10,000	-0-
Total	60,000	120,000
Indirect Costs	13,475	25,950
Total	73,475	146,950
Total Per Year	\$185,739	\$ 218,744
27 P. 17 P.		






GENERAL CHARACTERISTICS

Length (Overall)	138.0 Ft.
Length (Waterline)	123.0 Ft.
Beam (Cross Structure)	59.0 Pt.
Beam (Hulls)	59.0 Ft.
Draft	14.5 Pt.
Displacement .	600.0 LT.
Hull Diameter	10.0 Ft.
Strut Thickness	3.0 Ft.
Hull Centerline Separation	49.0 Ft.
Box Clearance	10.0 Ft.
Cruise Speed	14.0 Kts
Maximum Speed	20.0 Kts
Shaft Horsepower	2 x 3800 HP
Boats	6m RHI
Helicopter Capability	1 HH-65A
nerrespect output	Day/Night Ops
	Refueling
	VERTREP

PRINCIPAL DIMENSIONS & CHARACTERISTICS

PRICETH OVER ALL CHOT INCLUDING BULWARK!	
LENGTH BETWEEN PERPENDICULAR	125*
TO STRUTS	45.00*
THICKNESS OF FACH STRUT AT MAXIMUM	3.00*
HORIZONIAL DIAMETER OF LOSER HULL AT HAXIMUM	10.00
VERTICAL DIAMETER OF LOWER HULL AT MAXIMUM	10.00*
BEAN OF BOX (EXTREME)	60.00
S TO TO THE SOURCE SOUR	\$9.00*
M = 1010	33.79
DESTINATION INTO	14.50"
COURT HIRL CROSS-SECTION	CIRCULAR
OUED HOLL NOSE PROFILE	ELLIPTICAL
LOUED HILL TATE PROFILE	LENTICULAR PARABULIC
STRUT NOSE WATERLINE	ELLIPTICAL
STRUT TAIL MATERLINES	LENTICULAR PARABOLIC



135 ft USCG SWATH Design

REPORT ON AGOR 14/15 OVERHAUL AND REFIT

The MELVILLE/KNORR Refit planning is approaching the completion of the Preliminary Design Phase. A copy of Draft Preliminary drawings are attached. Review, comments and suggestions are invited.


All design calculations presently meet or exceed the operational requirements and criteria which have been set.


A comparison of existing to new characteristics is given by the following:

	Existing	Proposed
Length overall	245 feet	279 feet
Beam	46 feet	46 feet
Draft	16 feet	15 feet
Full Load Displacement	2,415 tons	2,670 tons
Gross tonnage	1,806 tons	2,100 tons
Propulsion Horsepower	2,800 HP	3,000 HP
Cruising speed *	10 knots	12 knots
Maximum speed	12 knots	14 knots
Cruising range	10,000 miles	12,000 miles
Fuel capacity	110,000 gals.	121,000 gals.
Crew	24	24
Scientists	25	34
Lab space	2,400 sq.ft.	3,860 sq.ft.
Science storage	842 sq.ft.	1,324 sq.ft.
Main Deck working area	3,424 sq.ft.	3,764 sq.ft.
clear length	96 feet	126 feet

Current schedule for the project is as follows:

		September 1987 November 1987 February 1988 March 1988 April 1988 July 1988 October 1988 December 1988 April 1989 June 1989 July 1989 August 1989 April 1990 June 1990		Complete Preliminary Design Contract Design starts Commence long lead procurement Complete Contract Design Issue RFP for first ship Award contract for first ship First ship to yard Issue RFP on second ship Award contract on second ship Complete first ship Second ship to yard First ship in service Complete second ship Second ship in service
--	--	---	--	---





- 1. Twin 1500 HP 360° "Z" drive propulsors.
- 2. 900 HP bow thruster, retractable drive with hull fairing installed on bottom.
- 3. 350 HP tunnel thruster, rotatable 90° with hull closure fairing.
- 4. Engine room in new 34 ft. space. Integrated electric plant is three 1000 KW AC generators to a 600 volt bus.
- 5. Former engine room becomes new science storeroom. Hoistway access to laboratory spaces above.
- 6. Main laboratory area is lengthened by 34 ft. and refurbished.
- 7. Hanger/staging areas on port side aft and starboard side midships.
- 8. Provision for two laboratory vans on 01 Deck with direct access to interior of ship. New heavier crane to handle vans.
- 9. Former machinery space converted to staterooms.
- 10. New semi-active roll stabilizing tank.
- 11. New faired-in bow.

Summary of Modified Vessel


Range Summary Table 1.5.2


Range, N. Miles, for Various Speeds and Conditions


							14 Kts.		7	12 Kts.			10 Kts.		
	Case		Departure Draft	F.O. Gal.	SWB L.T.	Tot. Sci. Payload L.T.	Trial	Trial	+25 %	\$55	+25 % +30d	Trial	25%	\$54	+25% + 30d
	Ā	1A Max Range Max Payload	16'-6" Loadline	144,300	144,300 15t, fwd	342	12,910	16,490	14,260	065*6	9,590	20,290	0,00,81	11,270	12,150
	BE	Max. Range Design Payload	16'-2"	144,300	34t, oft	242	12,910	16,490	14,260	06546	9,590	20,290	18,070	11,270	12,150
23	ğ	1C Long Range Design Payload	15'-10"	128,500	ı	242	075,11	14,510	12,550	8,440	7,880	17,860	17,860 15,900	9,920	06666
	2A	2A Min. Range Design Payload	15'-6"	97,050	ı	242	8,290	10,580	9,150	091'9	4,480	13,030 11,600	11,600	7,240	5,680
	28	2B Moderate Range 15'-6" Reduced Payload	e 15'-6"	121,420	1	170	10,670	13,630	11,790	7,930	7,120	16,770 14,930	14,930	9,320	9,020
										P.	Fuel Rates gph	뒤			
							143	96	п	165	165 111+60	99	73	111	73+60


Notes

- All fuel rates include a 415 KW of ship service load. This includes air conditioning load, but oil consumption by a boiler is not included. Operation in extreme cold temperatures is not considered.
- 30 day mission assumes an average continuous total power usage of 875 KW. Rough conditions trackline dynamic positioning work requir approximately 1750 KW. A smooth water operating speed of 9.5 knots and the service load will also absorb the assumed 875 KW. Trial conditions assume smooth water and smooth hull.
- A 25% service allowance is applied to propulsion horsepower to account for average seastate conditions, wind, current, hull fouling, and machine deterioration.
 - SS4 conditions assume continuous 8 foot significant height waves and 20 knot head winds.
- Range indicated under +25% +30 days is total distance to and from the ocean work area, and does not include distance travelled during the 30 days All range calculations are based on resistance at a 15'-6" draft, and hence are optimistic for cases 1A and 1B. on-site.
 - Calculations assume that 12,400 gallons of fuel is not used and held in reserve.
- Bold type values indicate that range requirements are met: 10,000 miles at 12 kts, 15,000 miles at 10 kts.











Fleet Improvement Committee: Subcommittee on Scientific Requirements for the UNOLS Fleet.

> J.W. Murray (chair) R. Barber M. Langseth

One of the main objectives of the UNOLS Fleet Improvement Committee (FIC) is to amplify and update the UNOLS Fleet Improvement Plan. This requires a continued reassessment of the number and mix of ships and their science mission requirements.

At present (11/87) the UNOLS fleet consists of 7 large ships (class II: 200-250 ft), 7 intermediate ships (class III: 150-199 ft) and 6 small ships (class IV:100-149 ft). UNOLS also supports 4 ships that are smaller than class IV. The only recent new construction was two general purpose class IV ships built in 1981. The number of ships in the core academic fleet from 1970 to 1985 is shown in figure 1 and the average age is shown in figure 2. These charts do not include the Fred Moore (1984 and 1985) or the Laurentian (1985) which were in the UNOLS fleet for a short time. The situation for the large ships is most crucial as 4 of these ships were built before 1965. Plans for their replacement need special attention. Two of the large (class II) ships, the R/V Knorr and R/V Melville, may be stretched and refit over a two-year period beginning in the fall of 1988. The construction of a new ACOR 23 with ONR funds is scheduled for 1990 or 1991 and will be compensated by the layup of an ACOR-3 hull (Conrad, Washington or Thompson). ONR funds





are also budgeted to construct an AGX sometime after 1990; this is expected to result in the retirement of the two remaining AGOR-3 vessels. NSF has plans to acquire, over the next 5 to 6 years, a research ship with ice breaking capability by the Division of Polar Programs (DDP) and three new research vessels by the Division of Ocean Sciences (2 large general purpose and 1 smaller ice strengthened). The new DPP ship will probably not be part of the UNOLS fleet.

At the same time as new ships are coming on line and older ships are being retired a restructuring is occurring in oceanographic research. Large scale initiatives are being planned to tackle problems of global scale e.g. global climate change. These global programs call principally for larger vessels; however, we anticipate that the needs for the smaller vessels will remain strong. NSF has responded to these plans by projecting significant increases in research and ship support. The other funding agencies may follow their lead. This suggests a potential dilemma. Plans are being prepared to lay up large research vessels just as the demand for large ship time could increase dramatically.

As a result the FIC appointed a subcommittee of R.T. Barber,

M.G. Langseth and J.W. Murray (chairman) to examine the demands of

oceanographic science for ship use. Two approaches were used. The first

was to evaluate the needs of the new large research initiatives. The second

was to examine funding agency plans in terms of current and projected

budgets. The objective is to determine whether the fleet capability

projected in the UNOLS plan is adequately matched to the science being

planned. Will our fleet meet the demands over the next two decades?

I. The Ocean Sciences: Core Research Program

The core research program in ocean sciences consists of individual projects supported primarily by NSF, ONR and to a lesser extent by DOE, NOAA, NASA and USGS. Long range projections of NSF support have been made in the NSF Long Range Plan. The new initiatives that are included in the Global Geosciences Program are the featured part of that plan.

Nevertheless, the NSF long range plan recognizes that the core programs in biological, chemical and physical oceanography, and marine geology and geophysics will continue to provide traditional support to relatively small projects by individual investigators.

NSF anticipates that after 1988 the increases in support will be due largely to the new initiatives. Because these initiatives have not yet influenced UNOLS ship usage, the summary of UNOLS fleet statistics as prepared by the UNOLS office is the best estimate of the present demand by the core programs. This summary for 1982-1988 is given as Appendix I. The condensed summary below shows the number of ships involved and the total number of days supported (for class II, III and IV ships only). The UNOLS summary breaks this down further into the class sizes of ships and the funding sources.

	lumber of ships 17	Total days 3,643	Average days/ship 214
1983	18	3,697	205
1984	21	4,250	202
1985	21	4,203	200
1986	19	3,766	198
1987(projected)	20	4,250	212
1988(estimated)	19	4,569	240


The average days of operation per ship has averaged about 200 days/ship when all 3 classes are considered. The average for the larger class II and class III vessels has been about 250 days/year (figure 3, Appendix I).

For the past 4 to 5 years we have had a submersible support ship

(Atlantis II) in the UNOLS fleet. We can project this need into the 1990's.

For our purposes this is considered part of the core program.

The biggest uncertainty in estimating future demands of the core research programs on ship time is evaluating the impact of the initiatives on the core program. The most generous prediction is that the core program demand will remain at its present level or about 4,000 days per year. The actual usage will probably be less as the initiatives siphon off the scientists and program emphasis continues to shift toward the initiatives.



II. The Global Ocean Science Program (Science Initiatives)

Natural scientists have increasingly realized there are major environmental questions that need to be addressed on a global scale. Examples include the influence of the ocean on global climate and the fate and results of the increase in fossil fuel CO₂ and other radiatively important trace gases (e.g. methane, fluorocarbons) in the atmosphere. This has led to the development of several international programs endorsed by the International Council of Scientific Unions (ICSU), the Intergovernmental Oceanographic Commission (IOC), the World Meteorological Organization (WMO), and other scientific and international organizations.

The oceanographic community has responded by planning several scientific initiatives. Federal ocean funding agencies in the U.S. have, in turn, initiated programs to address these global initiatives. These initiatives have significant ship time requirements and specific needs with regard to platform type. In this section we review those needs by individual scientific program. We are at an early stage in the planning process and some of these initiatives are further along than others.

Nevertheless, this is a logical point to start, because in principle, it is the science that drives the funding support that drives the ships.

This report will follow the organization of the NSF Long Range Plan for Ocean Sciences, recognizing two new broad initiatives: Global Ocean Studies and Ocean Lithosphere Studies. Each of these initiatives is composed of sub-initiatives or components. Together these initiatives have been included in the NSF FY 1987 budget as the Global Geosciences Program. This discussion follows the organizational framework of the NSF Long Range Plan.

Initiative 1: Global Ocean Studies

IA) Global Ocean Circulation, Climate and Productivity

IA-1) World Ocean Circulation Experiment (WOCE)

The fundamental rationale for WOCE is to understand the role of the ocean in climate. The primary scientific objective is to understand the general circulation of the global ocean well enough to be able to model its present state and predict its evolution in relation to long-term changes in the atmosphere. Nine specific scientific objectives are discussed in detail in U.S. WOCE Planning Report Number 3 (1986). The primary practical objective is to provide the scientific background for designing an observing system for long-term measurement of the large scale circulation of the ocean. A key element of the scientific plan is, for the first time, to survey the ocean circulation globally for a brief period with the aim of collecting a data base that will support the development of global eddy - resolving ocean circulation models. The planning for WOCE has been ongoing since 1980.

As currently envisioned there are two aspects of WOCE requiring ship time.

a) WOCE Hydrographic Program

There will be a hydrographic survey that will extend from about 1991-1997. Tracers to be measured include salinity, nutrients, tritium, helium 3 and fluorocarbons. The one time survey will require about 7 ship years. Repeated survey work may require another 2-4 ship years.

The research vessel requirements were discussed at a U.S.

WOCE meeting held at Scripps in January 1987. These include:

Approximately 30 berths for scientific personnel

2000-3000 sq. ft. of lab space

4 specialized 20 ft lab vans

Extensive deck space for 18 Gerard bottles and 50-60 drifters Wet lab/rosette sampling room

CTD winch with motion compensation or cable tensioning device and coaxial cable

Articulated crane

Extended duration (92% of the legs are less than 45d but some are as long as 75d)

The nature of these requirements implies that the largest research vessels will be needed. The hydrographic legs will require a dedicated ship because of the extensive laboratory set up. The Knorr or Melville will be suitable after their stretch and refit. However, it appears at present as though only 2-3 of the 7 years needed for the basic hydrographic survey and about half of the time required for the repeated surveys (1-2 years) will be conducted on U.S. UNOLS vessels. Among the foreign research vessels which might be suitable are:

Discovery (UK, being considered for a refit)

New Hakuho Maru

Rapahela (converted Meteor I) (New Zealand)

Meteor II (FRG)

Polarstern (FRG)

Marion Dufresne (France)

Africana (R. South Africa)

Agulhas (R. South Africa)

Proposed track lines for the WOCE Hydrograpic Program are shown in Figure 1.

b) Process Studies

Special studies of processes or detailed studies of special regions will also be conducted as part of WOCE. Although the planning is in early stages these projects will probably require about 4-5 ship years over the 1990-1997 time frame. Present vessels of the UNOLS fleet will probably meet U.S. ship needs; intermediate size vessels will probably suffice for much of the work.

1A-2) Tropical Ocean/Global Atmosphere (TOGA)

The primary scientific objective of TOGA is to gain a description of the tropical oceans and the global atmosphere as a time dependent system in order to determine the extent to which the system is predictable on time scales of months to years.

TOGA is organized and coordinated by an International Scientific
Steering Group. In the U.S. an NRC/NAS TOGA Review Panel provides oversight
of the U.S. component of TOGA. The NOAA laboratories play a significant
role in the U.S. component although NSF provides major funding to academic
scientists. There is a strong international aspect to TOGA and much sharing
of research vessels and utilization of ships of opportunity. In recent
years, foreign research vessels from China, France, Australia and Peru have
been utilized. TOGA ship use can be classified as either monitoring or
special projects.




Figure 1. Location of the tentative track lines of the WOCE Hydrographic Program.

a) Monitoring

One 40- to 60-day cruise is conducted each spring and fall on NOAA Class A vessels in the eastern tropical Pacific. These NOAA cruises are projected to continue for the duration of the study (through 1995).

b) Special Projects

There are 1 or 2 process-oriented field projects per year that use between 2 to 4 months of UNOLS ship time.

1B) Global Flux Study (GOFS)

COFS was born out of a desire to understand how to predict the fate of fossil fuel CO₂ in the ocean. Its main goal is to determine on a global scale the physical, chemical and biological processes controlling the time-varying fluxes of carbon and associated biogenic elements in the ocean and to evaluate the exchanges with the atmosphere, seafloor and continental boundaries. The aim is to understand the processes governing the production and fate of biogenic materials in the sea well enough to predict their influence on, and responses to, global scale perturbations. GOFS will be the U.S. component of an internationally coordinated decade-long Joint Global Ocean Flux Study (JGOFS). GOFS planning began with a scientific meeting in Woods Hole in September 1984.

Present plans are for three parts to the field program.

a) Global Survey

A global survey of the oceanic CO₂ system will be conducted in cooperation with WOCE. Small volume samples for total CO₂ and either pCO₂ or alkalinity will be collected during the WOCE global survey. It has been agreed that GOFS work on CO₂ parameters will utilize 2 of the 25 to 30 berths required by WOCE. A third WOCE berth has been

requested by GOFS for a pigment analysis program for the purpose of satellite color calibration.

In addition, GOFS will probably require 1 to 2 additional ship years on UNOLS vessels over the time span of the global survey.

b) Time Series Stations

Data sets are needed to describe seasonal and interannual time scales which may be obtained in part by establishing time series stations at diagnostic locations. Ease of access is also an important factor for locating such stations and the preliminary plan is to establish these stations near islands e.g., plans are proceeding for the development of time-series studies off Bermuda and Hawaii. Local non-UNOLS ships could be used at each location, and it is unclear whether any of this work will be done from UNOLS vessels.

c) Process Oriented Studies

Research cruises (perhaps multiship) will be conducted in key oceanographic areas to study the numerous processes that control the dynamics of biogeochemical cycling in the ocean. There will be international cooperation in these projects through JGOFS. Planning is moving rapidly at present and it looks like the demand for the U.S. UNOLS fleet will be for 9 months of ship time per year for about 10 years. The initial plan is for a North Atlantic program that will involve 1) transect studies, 2) time series studies, and 3) process studies. A North Pacific planning meeting will be held in February 1988. Coordination with WOCE is being explored. Because most of these studies will be multi-investigator interdisciplinary projects, large research vessels will receive most of the use. The minimum suite of measurements (defined as level 1) will require approximately 13

investigators. The process studies (level 2) could easily add another 17. The only U.S. UNOLS ships, in the current fleet, adequate for this study will be the Knorr or Melville after their stretch/refit.

1-C) Coastal Ocean Dynamics and Fluxes

A major component of global ocean flux studies is a scientific understanding of coastal oceanography. However, no developments yet give an indication of its impact on the UNOLS fleet.

1-D) Global Ocean Ecosystems Dynamics and Recruitement

The objectives of this program will be to understand the climate, physical factors and variability in primary production, secondary production and predation that regulate age-cohort class success and therefore variability of biological populations. Six working groups have been set up to prepare white papers which will provide the focus for a general meeting in the spring of 1988. At present there is no formal steering committee but a proposal for planning money has been written by JOI Inc. In this sense it is 3 or more years behind GOFS.

It is anticipated that recruitment research may begin in 1989 or 1990. It will probably not have as many long or regularly spaced cruises as WOCE or GOFS, but likely will combine biological studies within a framework of good chemical and physical measurements. Ships with large scientific complements and laboratories will be needed because of the interdisciplinary nature of the projects but they will probably not require a dedicated ship. Some projects may require multi-ship cruises, perhaps in which one large (class II) ship ranges widely while one or two smaller ships (possibly class

III or IV) conduct detailed measurements on smaller spatial scales. In this way the study will link small and meso-scale processes.

1-E) Land/Sea Interface

The objectives of this program will be to study the interface between the land and ocean in terms of biological productivity, geochemical processes, origin of sedimentary rocks and the evolution of life. A workshop was held in Woods Hole in May 1987 to advise NSF about research needed in this area. The report of the workshop will be distributed by the end of 1987. Present developments of this initiative give no indication yet of its impact on the UNOLS fleet.

Initiative 2. Ocean Lithosphere Studies

2-A) Ridge Interdisciplinary Global Experiments (RIDGE)

The scientific objectives of RIDGE are to obtain a long-term data set to test hypotheses and answer scientific questions regarding ridge crest processes. These include the driving forces of plate tectonics, thermomechanical properties of the oceanic lithosphere and hydrothermal, volcanic and mineralization processes.

Planning for RIDGE has just begun; the initial scientific organizational meeting was held in April 1987 at Salashan, Oregon. The preliminary scientific plan is for three components that will involve UNOLS ships.

1) Global mapping of the crest of the Mid-Ocean Ridge (MOR)

The goal of this component is to map the axial zone of the MOR along much of its 40,000 km length. The axial survey will include multibeam bathymetry, SEAMARC II surveys, multichannel seismic (MCS) lines along the MOR, as well as gravity and magnetic measurements. There will be little or no station work done by ships while engaged in the axial mapping project.

It will require 2-3 ship years to carry out the MOR survey in the time period from 1990 to 1995. Class II ships that carry SEABEAM, SEAMARC II and MCS will probably be dedicated to the RIDGE survey for significant periods of time. It will be most efficient to use ships that carry both multibeam and MCS capability.

2) Regional studies of segments of the MOR

Up to five segments on the MOR system will be mapped in greater detail. Their size will be approximately 200 X 500 km. The surveys will include multibeam and side-scan mapping, and will emphasize

station work such as dredging and heat flow. Deeply towed vehicles for high resolution bottom studies and submersibles will also be used for this part of the RIDGE program.

Plans are still very preliminary, but it is estimated that the detailed study of MOR segments will require 3 to 5 ship years. A mix of class II and III ships could be used for the sampling and station work. The Atlantis II is required for the submersible operations, and class II MG&G ships are required for the deep tow and bathymetric work. The time frame for this component of the program will probably be carried out in 1990 to 1995.

3) Long-term monitoring stations on the sea floor

A critical part of the RIDGE program is to install instrumented observatories on the sea floor at up to three locations on the axis of the MOR. These observatories will consist of a suite of sea-floor instruments that will monitor areas that are about 30 km along strike and 10 km across. The goal is to record data at these observatories for at least 10 years. A wide variety of instruments will be incorporated into these long-term observatories; seismometers, thermometers, flow meters, photographic monitors of biological and geothermal activity, and others.

Deployment of the RIDGE observatories will require considerable deep submersible time, and use of the larger Class II ships. A ship with a large centerwell would be preferred for many of the deployment activities. Visits to the observatories will be made periodically to retrieve data and replenish and refurbish the instrumentation. Much of this work can be done by Class III ships and ships of opportunity.

Some ship time will also be required to do detailed and high resolution

geological surveys of the sea floor in areas where deployments are to be made. We estimate that about 0.5 years of Class II shiptime will be required per deployment of an observatory and about 4 ship months per year for maintenance of all installations during the period from 1992 to 2002.

2-B) Tectonics and structure of submerged continental margins

There are two distinct types of margins: subduction margins and rifted margins. Both types will be important components of the "ocean lithosphere studies" cited in the NSF Unified Plan for Ocean Sciences.

- A. The major questions that will be addressed on rifted margins are:
 - 1) What is the geology, structure and evolution of the continental crust underlying the passive margins. What are the important hydrological, geothermal and geochemical processes occurring in this regime?
 - 2) How does the geology vary along a passive margin and with age?
 What is the relation between tectonic evolution of rifted margins and onshore basins?

Studies of passive margin formation are being actively pursued as part of the core MG&G programs, and plans for a program are in the earliest stages of development. However, some estimates of the amount of shiptime and types of ships can be made. A key element in all passive margin studies will be large aperture MCS surveys using powerful acoustic sources. Some of the studies will be multiship operations. An effective passive margin program will require at least 2 months per year of MCS work using advanced techniques. A small amount of station work by Class II and III ships (2 ship month per year) and up to 2 month per year of deep submersible work. A five or ten year program will probably not get started before 1991.

- B. Addressing problems at subduction or active margins will require quite different techniques. The major questions include:
 - 1. What is the structure and composition of the accretionary complexes, the overiding wedge and volcanic zone?
 - 2. What are the nature of the many processes active in large sedimentary wedges; deformation, diagenesis, and metamorphism?
 - 3. What is the role of fluids in the mechanical, chemical, petrological and thermal regime of accretionary complexes?
 - 4. What processes and parameters control the geological and tectonic diversity of subduction complexes?

Field programs addressing these questions will require:

- * A combination of high resolution, 3-dimensional and deep penetrating MCS techniques. One or two months per year would be required during a ten year program. The more sophisticated studies may require leasing commercial technology.
- * Submersibles will be extensively used for studies of the smallscale structure, sedimentary petrology, and fluid expulsion features.
- * Deep tow studies using side-scan sonar, near bottom seismic experiments will be employed.
- * Multibeam and side scan bathymetric surveys from surface ships will be a fundamental part of studies of subduction complexes, as will station work to measure heat flow, water flux and in situ porepressures.
- Deep sea drilling has been and will continue to be an important component of studies of subduction zones. Some of the marine geological and geophysical work may be done as surveys in support of drilling.

Many studies of subduction margins are currently in progress as part of the NSF Ocean Sciences core programs. A more structured program could require an additional 1 to 2 ship months per year, assuming that initiation of a subduction margin program would enlist some of the investigators now supported through the core program.

Multichannel seismic (MCS) technology:

MCS studies warrant further discussion because they require increasingly expensive systems and over the past decade the systems in the academic community have been hard to support financially. At present there are two vessels in the UNOLS fleet with MCS capability, R/V CONRAD and R/V MOORE. The MCS systems currently owned by the academic community are much below state of the art, but recent NSF funded improvements in the two systems have made them adequate for most projected fundamental research in marine geoscience.

The level of support for both MCS ships over the past few years has been on the order of 300-350K per year, which translates into about 3 to 4 months of ship time. The current use is a mix of individual projects supported by NSF as well as geophysical site surveys in support of the Ocean Drilling Program.

The projected use MCS can be broken down as follows:

- Core programs are the main source of funding for MCS. The traditional support is 1-2 months per year.
- 2. ODP site surveys currently use 1 to 2 months per year. Although the 1988 USSAC program plan requested a doubling of funds for regional geophysics and site surveys, NSF has chosen to keep the funding at current levels. Thus, an increase in the immediate future is not likely.

- 3. If the new Ocean Science initiatives in "Ocean Lithosphere Studies" comes to fruition the utilization of the academic MCS systems for these programs could amount to 3 to 5 months per year. The utilization will probably build over a 4 to 5 year period.
- 4. ONR has supported a few MCS experiments in the past, the North
 Atlantic Transect and the soon to be implemented Western North Atlantic
 experiment. Currently ONR shows little interest in supporting
 extramural academic MCS research. Unless prospects change only a few
 special programs will be supported by ONR during the next 5 years.

In summary, if plans are realized, over the next five years, MCS usage will grow to about 6 to 8 months per years. The support would derive almost entirely from NSF.

Summary: Scientific Demands on U.S. UNOLS Fleet

Initiative 1: Global Ocean Studies

7 to 9 ship years over the eight year period 1A.1-WOCE

of 1990-1997. This estimate is based on 2 years for the basic global survey (100% class II), 1-2 years for repeated sections (100% class II) and 4-5 years for process studies

(100% class III).

0:3 ship year per year over the next 5 years 1A-2-TOGA

(100% class III)

1 to 2 ship years for the global survey 1B-COFS

between 1990-1995 (50% class II, 50% class

III)

7.5 ship years for process oriented studies between 1990-2000 (50% class II, 50% class

III)

1C-Coastal Ocean

Studies

1D-Recruitment

1E-Land/Sea Interface no estimate

no estimate

no estimate

Initiative 2: Ocean Lithosphere Studies

For the period 1990-1995:

2 to 3 years for the globial axial mapping 2A-Ridge

(60% class II. 40% MCS)

3 to 5 years for the regional studies (30% class II, 40% class III, 20% MCS,

10% Atlantis II)

2.5 to 3 years for long-term stations

(50% class II, 30% class III, 20% Atlantis II)

For the period 1991-1996:

2 to 3 years for rifted margins 2B-Continental Margins

(17% class III, 33% MCS, 33% Atlantis II)

2 to 3 years for subducted margins (35% class II, 15% class III, 30% MCS,

20% Atlantis II)


Core Research Programs

The most optimistic upper limit is that the current UNOLS demand represents the core demand and this will continue without increase or decrease into the next decade. There would be about 4,000 days per year or 20 ships of various sizes per year.

On this basis it would appear that the demand for the U.S. UNOLS Fleet will increase from its present 20 ships to 24 ships from 1990-1995. The demand from the present global initiatives will then decrease to 21-22 ships from 1995-2000 (Figure 2). It is reasonable to expect that the high demands for the new initiatives from 1990 to 1995 will result in some reduction in the core program demand, however this is difficult to evaluate at present.

The new Global Initiatives will almost certainly result in growth of the field of ocean sciences. The expectation is that these initiatives will either continue in some form or be replaced by new ones so that it is reasonable to predict that a UNOLS fleet of 22 to 24 ships will be needed through to the year 2000.

Figure 2. Present estimates of U.S. UNOLS ship needs by the Core Programs and new NSF Global intiatives.



III. Scientific Support

Another approach to estimating demand for the UNOLS fleet is to look at the past, present, and projected budgets by NSF, ONR and other funding sources. These numbers are summarized in Table 1. Most ship support is provided on a calendar year basis, so this table was prepared accordingly.

The non-ONR ship support figures for the years 1981 to 1988 (projected) was obtained from NSF staff and the UNOLS office. The NSF long range plan (p77 table IV-G) shows predictions for ship operations from 1984 through 1996. The NSF plan separates the core program and the global program, which are listed separately in Table 1 together with the total. We have shown only the support projected for ship operations. Alvin support is not included, but the Atlantis II is. Also included in the ship operations budget line is some support for the Ocean Drilling Program, even though Ocean Drilling is also shown separately in the NSF budget (LRP p69). This amount was estimated to be about \$1.1 million for 1988.

The actual expenditures by NSF and their LRP overlap now by 5 years and provides a test of the estimates in the NSF Long Range Plan. The actual growth of the NSF ship support is already falling behind the Long Range Plan by about 20% or \$5.2 million in 1988!

The ONR ship support numbers for 1981 to 1988 (projected) were obtained from ONR and UNOLS staff. ONR has recently announced a funding enhancement of \$5M per year beginning in 1988. This will be added onto \$3.6 M which is considered by ONR as their projected base line level prior to this enhancement.

The total number of ship days supported by the three funding sources are shown for 1981 to 1988. These were obtained from the UNOLS fleet

statistics summary which is attached as Appendix I. Ship usage is grouped according to class of ship. Only class II, III and IV ships are included.

The relation between ship support and days supported is also given in Table 1. Because large ships are more expensive than small ships, this ratio reflects the mix of ships supported by the different funding sources. It is a good index of the cost of fleet operation. From 1981 to 1988 the cost has been essentially constant in spite of inflation, averaging about \$8,500 per day with a standard deviation of about 4%.

One approach for determining the number of ships required is to use the projected budgets for ship support, the projected cost per day, and the average number of days per ship. Although it is not a reasonable long range projection we have assumed, for the purposes of this exercise, that the cost per day will remain at \$8.5 thousand. In projecting ship support, we assume that actual NSF support will continue to lag the long range plan by 20%. Thus, while Table 1 indicates that \$61.0 million will be available for ship support in 1989, we use \$51.3 million in this calculation. On this basis the budget predicts a demand for 6056 days or 24 ships in 1989, assuming 250 days/ship. It appears that a safe prediction (based on ship support projected to be available) is that requirements for the UNOLS fleet will increase from 20 (at present) to about 24 as the new Global Initiatives come on line. This is consistent with the earlier estimate of 22 to 24 based on the preliminary plans of the specific programs.

Table 1 shows the actual ocean sciences research support (OSRS)

(physical, chemical, biological, MG&G) for 1981 to 1987 from the NSF Ocean

Sciences Division (from NSF staff) and the predicted values from the Long

Range Plan. The long range plan has separate estimates for core programs.

critical needs and global programs (see p69 and p70 of the LRP). The actual

NSF research support for 1987 (\$66.5 million) is in good agreement with the long range plan estimate (\$68.3 million). The projected actual budget for 1988 is 10% less than the LRP indicating that the LRP may be a little optimistic.

The last row of Table 1 shows the ratio of NSF-OSRS support to NSF ship days. This ratio has been remarkably constant at about \$18.5 thousand/day until 1986. The increases in 1987 and 1988 probably reflect planning and equipment items for the new initiatives. Assuming this ratio stays at 18.5 and that the actual NSF-OSRS support continues to lag the LRP by 10% (i.e. \$118 million in 1989), the projected need is for 6378 days of ship time in 1989. This is significantly larger than the projection based on ship support; it seems unrealistic to envision the oceanographic community using that much more ship time.

In summary, the projected increases in the ship support and ocean science research support lead to the predictions that the demand for ship time will increase substantially. Although the predictions become less reliable with time it appears that on the basis of financial support a UNOLS fleet of 24 vessels will be required by 1989.

Page numbers refer to NSF Long Range Plan. Summary of ship support and UNOLS ship days according to different funding sources. Based on calendar years. Table 1:

		18	82	83	118	85	98	87	88	89	06	16	35	93	116	95	96
Ship	Ship Support (\$M)	20.2	20.5	20.5 23.6	25.2	25.1	25.2	27.7	30.4		1	1	0	3	9		t u
(2)		Progr	7d sms	7)	25.3	27.1	26,4	3.2	26.0	19.8	31.5	34.6	15.1	19.6	53.6	56.2	59.0
	(Total)	al rro	SI GIIIS					29.5	35.6	48.4	60.2	72.0	83.2	91.5	7.66	6.901	114.7
	ONR	3.4	3.4	3.9	0.4	4.1	3.4	5.7	5.4	-	-(3.6+	5)	1	+			
	Other	0.9	4.7	5.7	6.8	6.3	# #	3.6	2.9		-(4.0)		ľ				
	TOTAL	29.6	28.6	33.2	36.0	35.5	33.0	37.1	38.7	61.0	72.8	84.6	95.8	104.1	112.3 119.5 127	119.5	127.3
Ship	Ship Days					3000			4000								
	NSF	2364	2570	2690	2956	3013	3056	3151	3083								
	ONR	495	394	447	456	9 11 11	351	585	1091								
	Other	727	619	260	868	744	359	514	395	0							
	TOTAL	3586	3643	3697	4250	4203	3766	4250	4569	9509							
	(ships)	(19)	(11)	(18)	(21)	(21)	(19)	(50)	(19)	(5#)							
Ship	Ship Support/Days	(\$T)	7.00000000		30	3	9	3	3								
	NSF	8.54	7.98	8.77	8.52	8.33	8.25	8.00	9.41								
	ONR	6.87	8.63	8.72	6.36	9.19	69.6	9.74	7.79								
	Other	8.25	6.92	10.2	7.83	8.46	12,3	7.00	7.34								
	TOTAL (4)	8,25	7.85	8.98	8,47	8.45	8.76	8.61	8.38	8.47-							
NSF	NSF Ocean Science Division (\$M)	Divisi	on (\$M	0													
Res	Research Support								77								
(3	(3) Actual	47.4	47.4 47.0 49.9	49.9	54.6	58.3	6.99	66.5	74.3		1	0	1	5			30.
=) LRP (OSRS Core Programs p69)	e Prog	rams p	(69)	54.7	57.4	55.5	57.8	60.5	65.1	200	20.0	100	5 5			. a
	(OSRS Critical Needs p69)	tical	Needs	(69d					0.5	2.4	0 0	45.5	120	1 1			156
	(Global Program p70)	rogran	(0/d L					20.0	20.7	101	170.2	227 1	260.6	283.0	297.0	311.1	331.8
	Total Research Support	search	Suppor	د					05.1	2				3			,
NSF	NSF Science \$ (\$T)	_															
NSF	NSF Ship Days		20.0 18.3 18.5	18.5	18.5	19.3	18.6	21.1	24.1								

Science Research Support only, no ship construction or OCFS support included

Ship operations and facilities only, no ship equipment or construction/conversion £88£

Does not include ocean drilling program

The average of this ratio for 1981-1988 is 8.47±0.34 (4%)

UNOLS FLEET STATISTICS FIVE YEAR SUMMARY 1982-1986

		DAYS/Percent	t		AVERAGE DAYS PER
	nsf	ONR	OTHER	TOTAL	SHIP
1982					
Class II (5 ships)	956/78	168/14	102/08	1226/100	245
Class III (6 ships)	875/64	180/13	324/23	1379/100	230
Class IV (6 ships)	739/71	46/05	253/24	1038/100	173
< Class IV (7 ships)	496/66	23/03	237/31	756/100	108
FLEET TOTAL (24 ships)	3066/70	417/09	916/21	4399/100	183
1983	2	1.0000	0274270		202
Class II (5 ships)	836/75	212/19	69/06	1117/100	223
Class III (7 ships)	1166/68	205/12	332/20	1703/100	243
Class IV (6 ships)	688/79	30/03	159/18	877/100	146
< Class IV (7 ships)	484/61	39/05	274/34	797/100	114
FLEET TOTAL (25 ships)	3174/71	486/11	834/18	4494/100	180
1984					
Class II (6 ships)	1225/77	237/15	137/08	1599/100	266
Class III (8 ships)	955/58	189/11	508/31	1652/100	206
Class IV (7 ships)	776/78	0/0	223/22	999/100	143
< Class IV (6 ships)	430/76	30/05	107/19	567/100	94
FLEET TOTAL (27 ships)	3386/70	456/10	975/20	4817/100	178
1985			052 072 023 C		
Class II (7 ships)	1310/68	352/18	254/13	1916/100	274
Class III (7 ships)	788/67	74/06	315/26	1177/100	168
Class IV (7 ships)	915/82	20/02	175/16	1110/100	158
< Class IV (5 ships)	394/70	33/06	139/26	566/100	113
FLEET TOTAL (26 ships)	3407/72	479/10	883/18	4769/100	183
1986			and the		220
Class II (7 ships)	1330/83	172/11	110/07	1612/100	230
Class III (6 ships)	913/77	127/11	151/12	1191/100	198
Class IV (6 ships)	813/85	52/05	98/10	963/100	160
< Class IV (4 ships)	347/70	13/03	133/27	493/100	123
FLEET TOTAL (23 ships)	3403/80	364/09	492/11	4259/100	185
1982-1986 FIVE YEAR TO	TALS				
Class II	5657/76	1141/15	672/09	7470/100	249
Class III	4697/66	775/11	1630/23	7102/100	209
Class IV	3931/79	148/03	908/18	4987/100	156
< Class IV	2151/68	138/04	890/28	3179/100	109
FIVE YEAR				22 720/100	182
PLEET TOTAL	16,436/72	2,202/10	4,100/18	22,738/100	102
AVERAGE/YEAR	3,287	440	820	4,548	*

UNOLS FLEET STATISTICS SHORT TERM PROJECTION

	4	DAYS/Percent	t		AVERAGE DAYS PER
	NSF	ONR	OTHER	TOTAL	SHIP
1987		STATE OF THE STATE			250
Class II (7 ships)	1401/77	293/16	117/07	1811/100	258
Class III (7 ships)	1076/71	252/17	185/12	1513/100	216
Class IV (6 ships)	674/73	40/04	212/23	926/100	154
< Class IV (4 ships)	479/81	10/02	104/17	593/100	148
PLEET TOTAL (24 ships)	3630/75	595/12	618/13	4843/100	202
1988		18000	2272264	Territoria Care	020
Class II (7 ships)	1543/77	418/21	37/02	1998/100	285
Class III (6 ships	690/46	624/42	185/12	1499/100	250
Class IV (6 ships)	850/79	49/05	173/16	1072/100	179
< Class IV (4 ships)	328/75	16/04	94/21	438/100	110
FLEET TOTAL (23 ships)	3411/68	1107/22	489/10	5007/100	218

UNOLS FLEXT STATISTICS FIVE YEAR FLEXT HISTORY 1982-1986

	ng aw war n	_		
SCRIPPS CAYUSE LONGHORN BLUE FIN HOH ONAR CALANUS	2. GAPE FLORIDA ALPHA HELIX CAPE HENLOPEN 3. EASTWARD VELERO IV R. WARFIELD C Glass IV (7)	VEMA ENDEAVOR OCEANUS VECOMA GYRE ISELIN NEW HORIZON KANA KEOKI	HELVILLE KNORE ATLANTIS II THOMPSON MASHINGTON Class III (8)	1981 Class II (5)
SCRIPPS CAYUSE LONGHORN BLUE FIN 9. HOH ONAR CALANUS	HAN HE SE HE	5. ENDEAVOR OCEANUS MECONA GYRE 6. NEW HORIZON KANA KEOKI	MELVILLE KNOER A. CONEAD THOMPSON WASHINGTON Glass III (6)	1982 Class II (5)
SCRIPPS CAYUSE LONGHORN BLUE FIN ONAR 12. BARNES CALANUS	CAPE FLORIDA CAPE HATTERAS ALPHA HELIX CAPE HENLOPEN VELERO IV B. WARFIELD C CLASS IV (7)	EMDRAVOR OCEANUS WECOMA GYRE 11. ISELIN WEN HORIZON KANA KEOKI CLASS IV (6)	HELVILLE KNORR 10. CONRAD TRICHPSON MASHINGTON Class III (7)	1983 Class II (5)
SCRIPPS CAYUSE 16. BLUE FIN ONAR BARNES CALANUS	CAPE PLORIDA CAPE HATTERAS ALPHA HELIX 15. R. SPROUL CAPE HENLOPEN VELERO IV R. WARFIELD < Class IV (6)	ENDEAVOR OCEANUS WECOMA GYRE ISELIN NEW HORIZON 14. PRED HOORE KANA KEOKI	HELVILLE KHORR 13. ATLANTIS II CONRAD THOMPSON WASHINGTON WASHINGTON	Class II (6)
19. CAYUSE BLUE FIN 20. LAURENTIAN BARNES CALAMUS	CAPE FLORIDA CAPE HATTERAS ALPHA HELIX R. SPROUL CAPE HENLOPEN VELEBO IV R. WARFIELD < Class IV (5)	ENDEAVOR OCEANUS VECOMA GYRE ISELIN NEW HORIZON FRED MOORE 18.	HELVILLE KNORR ATLANTIS II CONRAD THOMPSON MASHINGTON 17. HOANA WAVE Glaus III (7)	Class II (7)
27. BLUE FIN LAURENTIAN BARNES CALANUS	24. PT SUR CAPE HATTERAS ALPHA HELIX R. SPROUL CAPE HEMLOPEN 25. R. WARFIELD < Class IV (5)	ENDRAVOR OCEANUS 23. GYRR ISELIN NEM HORIZON 26. FRED HOORE CLAMB IV (6)	HELVILLE KNORR ATLANTIS II CONRAD THOMPSON WASHINGTON HOANA WAVE	Class II (7)
BLUE FIN LAURENTIAN BARNES CALANUS	PT SUR CAPE HATTERAS ALPHA HELIX R. SPROUL CAPE HENLOPEN R. WARFIELD CLASS IV (4)	ENDRAVOR OCEANUS WECOMA 29. GYBE ISELIN NEW HORIZON FRED HOGRE CLASS IV (6)	HELVILLE 28. KNORR ATLANTIS II CONRAD THOMPSON WASHINGTON MOANA WAVE Glass III (7)	Class II (7)

NOTES:

110

- 1. CONRAD out of service (midlife) 1981.
- CAPE FLORIDA entered fleet midway 1981.
- EASTWARD operated only 2 days 1981.
- 4. ATLANTIS II out of service 1982 (modification); CONRAD back.
- 5. VEMA retired 1982 (no sponsored use).
- ISELIN did not operate 1982 (no schedule).
- CAPE HATTERAS operated all of 1982.
- 8. EASTWARD retired from fleet.
- 9. HOH retired during year.
- 10. ATLANTIS II out of service 1983 (modifications for ALVIN).
- 11. ISELIN back in operation 1983.
- 12. BARNES entered fleet late in 1983.
- 13. ATLANTIS II returned to service 1984.
- 14. FRED MOORE entered fleet 1984.
- 15. ROBERT SPROUL entered fleet late in 1984.
- 16. LONGHORN out of fleet 1984.
- 17. MOANA WAVE stretched to CLASS II 1985.
- 18. KANA KEOKI retired 1985.
- SCRIPPS retired 1985.
- ONAR retired 1985.
- 21. LAURENTIAN added 1985.
- 22. ISELIN operated only 4 days in 1985.
- 23. WECOMA did not operate in 1986.
- CAPE FLORIDA transferred, renamed POINT SUR in 1986 (all vessel use listed herein).
- 25. VELERO IV retired 1986.
- 26. FRED MOORE had no federally funded use in 1986.
- 27. CAYUSE out of service 1986.
- 28. KNORR out of service 6 months.
- 29. GYRE out of service 6 months.

UNIVERSITY-NATIONAL OCEANOGRAPHIC LABORATORY SYSTEM FLEET IMPROVEMENT COMMITTEE

Department of Oceanography Texas A&M University College Station, Tx. 77843

MEMO FOR MEMBERS, FLEET IMPROVEMENT COMMITTEE

A visit on 16 September 1987 to the Beaumont, Texas, Reserve Fleet was arranged with the Washington office of the Maritime Administration. Worth Nowlin, T. K. Treadwell, and Dean Letzring (Marine Superintendent, Texas A&M University) participated. The principal objective was to evaluate the potential of offshore supply vessels for conversion to oceanographic research ships, and the availability of hulls for such conversion.

The offshore supply vessels stored at the facility are all of 165-180' length, designated as "tug/supply" boats. The "tug" portion of the designation refers to their capability to tow utilizing a deck-mounted towing winch just aft of the forward superstructure. Main horsepower in a twin-engine diesel configuration is somewhat in excess of 2,000 HP. The term "supply" refers to the large open deck area midships and aft, with usually 36' to 40' beam and 110' to 115' in length. While the deck-house arrangements vary a little, they all contain a galley/mess hall, lounge area, laundry, reefer storage, quarters of varying size on the 0-1 level, and a bridge deck/wheelhouse for control. Quarters are provided for 10 to 13 persons.

The Beaumont Reserve Fleet was selected for this initial viewing due to the number of hulls available for inspection within a reasonable travel distance from the College Station/Galveston area. Other groups of ships are in the Gulf, as well as the Atlantic and Pacific Coasts and overseas.

The first group of ships inspected was previously operated by the Marsea Company, with hulls 1-6 having been built by Halter Marine, and 7, 9, and 10 by Quality Shipyard. Although shore power was not available to all the vessels, our guide was able to provide lighting to MARSEA 2 (Halter) and MARSEA 9 (Quality) to give a chance for visual inspection and comparison of builders techniques. The MARSEA 2 was powered by two GM-16 V149T1 engines for 2,560 HP. LOA was 180', beam 40', draft 14'. The reduction gears were Philadelphia, and two Detroit Diesel/Delco generators provided auxiliary power of 90 KVA. Bow thruster was powered by Detroit Diesel, tunnel type, probably variable speed. Bridge electronics were very basic, with 2 EPSCO radars, and SSI pilot. No communications noted.

The MARSEA 9 was 184' LOA, with 40' beam, but had a larger main power plant with two EMD16-645EZ providing 3,900 HP. The type of reduction gears was not noted. Auxiliary generators were two Detroit diesels with 124 KVA capacity. Additional machinery included two aircompressors for ships service with tanks. Bridge electronics were minimal and similar to the MARSEA 2.

Both of these vessels were in reasonable condition, due in part to the dehydration system having been activated since January 1986. No inspection of tanks or voids was possible. There was no indication as to how long the vessels had been in the reserve fleet, nor were machinery logs available for assessment of engine hours, maintenance, etc. MARSEA 2 was built in 1980, and MARSEA 9 in 1981. Topside hull condition was good, considering usage, lack of maintenance and exposure in recent years.

Another group of hulls were six operated by Leam, all built by Halter Marine. This group was built in 1982, and were all 180' LOA, beam 40', draft 14'. We inspected the Leam ALABAMA which was typical. It is powered by 2 Cat D399 main engines, providing 2,250 HP. Shore power lighting was not available so detailed inspection of the interior was not possible, but it was obvious that the vessel had not seen much service before going into the reserve fleet. Condition of the bridge and hull was excellent, even in exposed areas. It is possible that this group was built and delivered just as the oil industry began to fade, and the operator suffered foreclosure. Again, engine records were not available, but it was heartening to see vessels in a rather unused condition, even though the dehydration system had not been activated.

In summary, the hulls viewed in the tug/supply category at Beaumont were all in the 180' LOA range. Nothing in larger sizes was available. Certainly this group offers a choice of hulls in good to excellent condition, in the general size range of the GYRE class (as originally built), which might be suitable starting points for intermediate-size, general-purpose R/Vs.

However, the hulls as they now exist would require major alterations to accomodate the scientific work aboard and over the side, as well as the scientific party. Obvious and most costly would be:

- -- Addition of a mid-ships deck house, generally similar to the ones installed on GYRE/MOANA WAVE, to house laboratories and scientific berthing.
- -- While the main power is adequate, it does not have the capability for low-thrust shaft speed needed in many oceanographic maneuvers. This could be achieved by several options, such as changing reduction gears, installation of trawling valves, or substitution of variable-pitch props for the existing fixed pitch.
- -- Auxiliary power would have to be greatly increased, both for the added housekeeping load as well as scientific demands. This preferably should include provision of "clean power" for science needs.
- -- Housekeeping facilities, such as berthing, messing, lounges, fresh water, sanitatation, and evaporators would all need major upgrading. Tankage as appropriate would also have to be provided.
- -- Hydraulic power for A-frames and (possibly) winches would have to be provided.
- -- While it was not possible to check the fuel capacity, it is suspected that it is not adequate for 30-day cruises and would have to be increased, with tank conversions and associated piping.
- -- One basic possible problem is that the present engine room spaces might be overcrowded by the addition of extra power and other machinery. It might be necessary to enlarge the engine rooms, or consider a stretch of the hull, to provide needed space. This of course would give additional space not only in the engineroom spaces but for topside and superstructure as well.
- -- There would of course need to be provided the usual complement of winches, A-frames, deck piping and wiring, laboratory basic equipment, and bridge navigation, communications, and control standard for the intermediate R/V. Little if any of the existing equipment could be used for these purposes.

Given the above modifications, there seems to be no reason why these hulls could not be converted into a general-purpose intermediate R/V comparable to GYRE, or comparable to MOANA WAVE if stretched, operating with a crew of about 10, and carrying a scientific complement of about 22. Costs for carrying out such a modification can only be given in estimates of ranges, both because the original condition of the hull and machinery is variable, and because the extent of upgrading is to some extent optional. However, assuming that the hull and main machinery are basically sound, the following estimates for major conversion items have been developed, in thousands of dollars. Note that this does not include instrumentation, either over-side or in the labs.

Construction and outfitting of two-level superstructure			
with labs and housekeeping facilities	400	ţo	500
Upgrading desalination, sanitation, water, air condition	ing,		
air compressors, etc.	200	to	400
Modifying main propulsion to achieve slower speeds and			
greater range	200	to	700
Install radar, radios, internal communications	100	to	300
Provide 1 large and 2 small winches with associated			
frames, hydraulics and wire		1,00	00
Provide 2 auxiliary generators	9	100	0
Totals	2,000	to	3,000

VESSELS AVAILABLE FOR INSEDIATE SALE


Ve	Vessel Type	Shippard	Length	H.P./Propulaton	Delivery	Custodian/Location	Former Owner	Contact	AD
	Tug/Supply						-		
÷	I. HARSEA 1-6	Halter	180.	2,560 H.P. 2-Ch 16V	0961	Beausont Reserve Fleet	Marses Marine	Ħ,	Hr. Wakesan
	MAKSEA 7, 9, 10	Quality	184.	3,900 H.P. 2-EHD 16 645E #2	1861				
	HARSEA 15	Halter	180	2,250 H.P. CAT 0399	1981	Galaxie			
7,	2. INTERCEPTOR	Rysco	160	2,520 H.P. 12-567BC	0861	Galaxie Marine Patterson, LA	Offshore Southern/ Offshore Ship Service		Mr. Wakenan
ŕ	STATE SPINIT STATE VIGOR STATE POMER	Bender Bender Bender	192° 192° 192°	2,250 H.P. 2 CAT-D399 3,900 H.P. 2 CH 16-645 3,900 H.P. 2 CH 16-645	1982 1983 1963	Cyprus Cyprus Cyprus	National Fleet	¥	Mr. Asclenz
÷	PALE PELHAN LOU PELHAN BEVERLY PELHAN	Zigler Zigler Zigler	54.	2,250 H.P. CAT D-399 2,250 H.P. CAT D-399 2,250 H.P. CAT D-399	1981 1981 1981	American Sea Venture Bourg, LA	Linden, Inc. Pelham Marine	Ė	Mr. Ascienz
3	LNG Veeneln								
'n	5. ARZEN GANENA SUUTHERN 125,000 e/m	Newport News	. 856	Steam Turbine 40,000 M.P.	1978	Middle town, Ri	Е1 Рано	Mr. Lax	Lax


DEFAULTED VESSELS - MAKAD WITHOUT TITLE

Ď	Vessel Type	Shipyard	Length	H.P./ Propulaton	200	Delivery	Cantodian/Location	Former Owner	Contact
F	Tug/Supply								
1.	MARSEA 8	Quality	160*	3,900 H.P.	EMD 16-645	1981	4-Tidevater, Dubut	Marses Marine	Mr. Vakeman
	HARSEA 12	Balter	180.	2,250 H.P.	K	1981			
	MARSEA 17	Halter	180	2,250 H.P.	CAT D399	1861		**	
7.	STATE MELLE	Bender	192*	2,250 h.P.	2,250 H.P. 2 CAT-0399	1962	Egypt	National Fleet	Mr. Ascienzo
'n	HOLA PELMAN	Quality	180	2,250 H.P.	CAT D-399	1981	Beaumont Reserve	Linden, Inc.	Mr. Ascienzo
		Halter	180.	Z,560 H.F.	2-GH 16 Cyl	1979	Fleet	Pelham Marine	
	BARBARA PELHAM	halter	106		2-GH 16 Cy1	1979			
	SYDNEY PELHAM	Halter	166*	-	2-CM 16 Cy1	1960			
	EDITH PELMAN	Halter	166	1.7	2-GM 16 Cy1	1980			
	JEAIME, PELMAN	Malter	180	à.	2-CM 16 Cy1	1960			
	CRYSTAL PELMAN	McDermott	180	÷	CAT D-399	1982			
	LOUISE PELHAM	McDermott	180	2,250 H.P.	CAT 10-399	1982			
	LYNN PELMAN	Malter	180*	2,250 H.P.	CAT D-399	1983			
÷	OCEAN DOLPHIN	American	180*	3,200 H.P.	END 16-567-BC	1975	OCEAN DOLPHIN	Ocean Marine	Hr. Vakennn
		Marine	220"	7.460 H.P.	ALCO 16-251-F	1976	Senttle, WA	Service	
			220*	7,460 H.P.	ALCO 16-251-F	1977	All others - not		
	OCEAN BONITA		220"	7,460 H.F.	ALCO 16-251-F	1980	in MARAD custody		
	OCEAN FIN		220	7,460 H.P.	ALCO 16-251-F				
	OCEAN RAY		220*	7,460 H.P.	ALCO 16-251-F	1977			
	OCEAN TARPON		220	7,460 H.P. ALCO 1	ALCO 16-251-F				æ
ń	INSIGNA	Rysco	180*	EMD 2,520 1	2,520 H.F. 12-567-80	1980	Galaxie Marine	Offshore Southern	Hr. Wakeman
•	STATE COPPIAND	American	170.	5,750 B.P.	5,750 B.P. EMD 10-645 ES	1974	Reserve Fleet	National Boat	Mr. Asctenza
	STATE EBOMY	Blount	174'	2,550 H.P.	2,550 H.P. CAT D 399	1976	Beaumont, TX		
	SIAIL HAWK	Blount	171	1 1 MIN HOLE	261 371 20	13/10			

1.18ERATON (ex. Hourmort 195' 2,520 H.P. 1979 Hoxico Liberty Marine Hr. Al HARK BRILKY) 1.18ERATON (ex. Hourmort 1.250 H.P. 1.960 H.P. 1.960 H.P. 1.960 H.P. 1.960 H.P. 1.960 H.P. 1.960 H.P. 1.961 Hr. Al HILTON 1.961 H.P. 1.961 Hr. Al HILTON 1.961 H.P. 1.961 Hr. Al HILTON 1.961 H.P. 1.962 H.P. 1.961 H.P. 1.962 H.	Ven	Vensel Type	Shipyard	Length	B.P./ Propulsion	Delivery	Cust od lan/Location	Former Owner	CONTACT
	Tug	/Supply (Cont.)							
FIGHTIME FOX Rysco 175' 2,250 H.F./2-tAT 1960 calveston, TA Hornbeck Offshore TRINITY RIVER Eastern 165' 1,660 H.F./2-tAT 1981 Hoansont, TA Hornbeck Offshore RED RIVER Champion 171' 1,660 H.F./2-tAT 1981 Hoansont, TA TILCO FINE RIVER Champion 171' 1,660 H.F./2-tAT 1981 Hoansont, TA TILCO CAME RIVER Champion 171' 1,660 H.F./2-tAT 1981 LEAN LEAN CAME RIVER Haiter 180' 2,250 H.F./2-tAT 1982 LEAN LEAN LEAN ALABAN Haiter 180' 2,250 H.F./2-tAT 1982 LEAN LEA	7.	3	McDermott	,561	2,520 H.P.	6161	Hextco	Liberty Marine	br. Alrd
TRINITY RIVER Eastern 165' 1,660 H.P./2-CM 1982 Rosserve Fleet Trico RED RIVER Champion 171' 1,660 H.P./2-CM 1981 Heatmoot, TX FINE RIVER Champion 171' 1,660 H.P./2-CM 1981 LEAM CARE RIVER Champion 171' 1,860 H.P./2-CM 1981 LEAM CARE RIVER Champion 171' 1,860 H.P./2-CM 1981 LEAM LEAM HISSISSIPPI Halter 180' 2,250 H.P./2-CMT 1982 LEAM LEAM LOUISTANA Halter 180' 2,250 H.P./2-CMT 1982 LEAM LEAM FLORIUM Halter 180' 2,250 H.P./2-CMT 1982 LEAM LEAM FLORIUM Halter 180' 2,250 H.P./2-CMT 1982 RALEAM LEAM FLORIUM Halter 180' 2,250 H.P./2-CMT 1982 RALEAM LEAM FLORIUM Halter 180' 2,250 H.P./2-CMT 1982 RALEAM LEAM FLORIUM Halter 180'	20	PIGUTING POX	Ryaco	175"	2,250 H.F./2-CAT 16 CYL	0961	Galveston, TX	Hornbeck Offshore	Mr. Ascienzo
Champion 171* 1,860 H.P./2-GM 1981 Eastern Marine 165* 1,860 H.P./2-GM 1981 Champion 171* 1,860 H.P./2-GM 1981 Malter 180* 2,250 H.P./2-GM 1982 Halter 180* 2,250 H.P./2-GM 1982 Button 180* 2,250 H.P./2-GM 1982	6	TRINITY RIVER	Kastern	165*	1,860 H.P./2-GH 16 CYL	1982	Reserve Fleet Beausont, TX	Trico	Hr. Aird
Eastern Marine 165' 1,860 H-F./2-GM 1981 Champion 171' 1,860 H-F./2-GM 1981 16 CYL Kalter 180' 2,250 H-F./2-CAT 1982 Ralter 180' 2,250 H-F./2-CAT 1982 Ralter 180' 2,250 H-F./2-CAT 1982 Balter 180' 2,250 H-F./2-CAT 1982		RED RIVER	Champton	1711	1,860 H.P./Z-GM	1981			
Champion 171' 1,860 H.F./2-GH 1981 LEAM Halter 180' 2,250 H.F./2-GAT 1982 LEAM Halter 180' 2,250 H.F./2-GAT 1982 LEAM Halter 180' 2,250 H.F./2-CAT 1982 Button 180' 2,250 H.F./2-CAT 1982 Button 180' 2,250 H.F./2-CAT 1982 Button 180' 2,250 H.F./2-CAT 1982		PINE RIVER	Esstern Marine	165'	1,860 H.P./2-GM	1961			
Halter 180° 2,250 H.P./2-CAT 1962 LEAM Halter 180° 2,250 H.P./2-CAT 1962 Halter 180° 2,250 H.P./2-CAT 1962 Halter 180° 2,250 H.P./2-CAT 1982 Burton 185° 4,600 F/M 10-38 1978 Doesn Engery		CAME RIVER	Champion	171.	1,860 H.F./2-GM	1961			
Halter 180° 2,250 H.P./2-CAT 1982 Halter 180° 2,250 H.F./2-CAT 1982 D399 Burton 185° 4,600 F/H 10-38 1978 D68	10.	LEAM HISSISSIPPI	Halter	180*	2,250 H.P./2-CAT	1982		LEAM	Hr. Wakeman
Halter 180° 2,250 H.F./2-CAT 1982 D399 Burton 185° 4,600 F/H 10-38 1978 D68		LEAN LOUISTANA	Ralter	180	2,250 H.P./2-CAT	1982			
balter 180° 2,250 H.F./2-CAT 1982 Barter 189° 4,600 F/H 10-38 1978 Ocean Engery D8		LEAH TEXAS	Kalter	180*	2,250 H.F./2-CAT	1982		•	
Balter 180° 2,250 B.F./2-CAT 1982 Balter 180° 2,250 B.F./2-CAT 1982 Balter 180° 2,250 B.F./2-CAT 1982 Barton 185° 4,600 F/H 10-38 1978 Darton 185° 4,600 F/H 10-38		LEAH ALABAHA	haltec	180	2,250 H.F./2-CAT	1982			
Halter 180° 2,250 H.P./2-CAI 1982 D399 Burton 185° 4,600 F/H 10-38 1978 D8		LEAM PLORIUA	Balter	180	2,250 H.P./2-CAT	1982			
Burton 185' 4,600 F/H 10-38 1978 Ocean Engery		LEAM CALIFORNIA	Balter	180*	2,250 H.P./2-CAT 0399	1982			
	11	ENERGY SERVICES I	Burton	185	4,600 F/H 10-38 08	8761		Ocean Engery	Hr. Vakenan

Contact	Hr. Ascienzo				Mr. Ascienzo	Mr. Aird			Mr. Ascienzo		Mr. Ascienzo	
Former Owner	Seal Fleet	5			Point Marine	Noody Offshore			SeuCo International		Hornbeck	
Custodian/Location	Beaumont Reserve Fleet	Beaumont Reserve Fleet	Indonesia	Indonesta	Beaumont Reserve Fleet	Brazil	Beaumont Reserve Fleet		American Sea Venture	Sourg, LA	Galveston, TX	
Delivery	1978	1978	1976	1976	1981 1981 1981	1976	1979		1978	8761	1980	1961
Bropulston	2,250 N.P	2,250 H.P	2,250 H.P.	2,250 H.P 2 CAT D-399	3,500 2-CH 16 Cyl 3,900 2-CH 16 Cyl 3,900 ERD	CAT D-399	CAT D-399		1,530 u.P.	1,530 B.P. 3-12V71	1,520 H.P./2-GH	1,860 H.P./2-CM
Length	185*	182	185	180*	172'	185*	185		100	1001	112*	125*
Shipyard	Rynco	Rysco	American Marine	Zigler	Halter Marine Halter Marine Halter Marine	Rockport Tacht &	Zigler Shippards		Swiftships	Swiftships	Rockport Tacht	Rockport Yacht
Vessel Type Tug/Supply (Cont.)	14. BLACK SKAL	RED SEAL	BALTIC SEAL	BERING SEAL	15. FOINT GALION POINT CHRISTIE POINT HOPE	16. JAVA SEAL	KARA SEAL	Crewboats/Utility Boats	17. TKANSPORTER (ex ALEXANDRA ROBIN)	TRAVELER (ex LURRAINE ROBIN)	18. ACILE	TOP PLICHT






LOWER DECK


Elect S'A no. 6

STEERING

LOWER :

)ECK





NATIONAL SCIENCE FOUNDATION WASHINGTON, D.C. 20550



November 2, 1987

ASSISTANT DIRECTOR

NOV 0 4 1997

Dr. George H. Keller Chairman, UNOLS Research Office Oregon State University Corvallis, OR 97331

Dear George:

This letter is to follow up on our conversation at the UNOLS meeting regarding accelerating the Fleet Improvement Committee analysis of science mission requirements for ice-capable or polar research vessels.

The long-range plan for ocean sciences at NSF identifies the need for a modern, efficient and effective academic research fleet for productive programs in all ocean sciences fields. The NSF plan calls for a unified approach with the Navy for up grading and modernization of existing research ships plus acquisition of new, more capable research ships to meet emerging national needs for sea-going research. This includes requirements for high latitude research vessels for the Arctic.

As part of the UNOLS charge to the Fleet Improvement Committee on planning for new vessels, I would like the committee to provide a science mission/needs study for the Arctic by January 1, 1988. It should include input from a broadly based community workshop representing academic, government and industry interests.

Enclosed are two documents that strongly impact our need to aggressively review the science-driven vessel requirements for the Arctic, both western and eastern regions. The discussions on pages 19-23 and 48-49 in the Colwell report outline the basis for an Arctic - capable vessel, with a specific recommendation (Number 7) noted on page 52. Chairman Zumberge of the Arctic Commission has testified before Congress on Arctic Vessel needs and the Commission has strongly recommended action on several occasions. Recommendation for an Arctic-capable ship is noted on page xvii, Bullet 6 on page 315, and in several other places in the U.S. Arctic Research Plan. These documents form the policy basis for our review.

Leve Marky hor 1/4/x7

Dr. Heinrichs and his staff are prepared to work with you and the FIC committee to meet this tight time schedule. They will also assist with coordinating progress and information with the Navy and our Polar Programs staff.

Sincerely,

BOB

Robert W. Corell Assistant Director

Enclosures

cc: M.G. Gross, OCE

P. E. Wilkniss, DPP D. F. Heinrichs, OCE