

OTDR: AN EXTRA USE

Joshua Eaton

Woods Hole Oceanographic Institution



OTD What

Optical Time Domain Reflectometer

3



- Finds the Length of a Fiber
- Detects Faults
- Estimates Loss
- Different Types



Ubiquitous Fiber

Fiber is becoming more prevalent

5



751 Old Brandy Road
Culpeper, Virginia 22701

Tel: 540 825-2111
Fax: 540 825-2238

DATALINE®

Description	Inch	mm
ELEMENT A: Electro-Light® (3)		
Fiber: 8.3/125/245 µm SM	0.010	0.25
Buffr: Hytrel®	0.019	0.48
Serve: #20 AWG (0.55 mm ²) HD Cu	0.042	1.07
Belt: PP	0.067	1.70
ASSEMBLY		
Core: Fiber Rod	0.015	0.38
Layer #1: 3 Element A's	0.146	3.71
BELT		
PE	0.172	4.37
STRENGTH MEMBER		
Layer #1: 160.0375" GEIPS	0.247	6.27
Layer #2: 220.0375" GEIPS	0.322	8.18

Hytrel® is a DuPont Trademark.

PROPRIETARY; Use Pursuant to Company Instructions

 Tyco Electronics *The Rochester Corporation*

Data Transmission Cable Code: IM0060142PQ001			
Date	Page	Revision	Part No.
09/30/2010	1	1	A304059



The New Use

Questions